

Ship to address:
4825 East Ingram St.
Mesa, AZ 85205
Fax: 480.222.1599

Dispense Date: _____
Work Order #: _____

Thermoplastic AFO Collection



- Thermoplastic AFO**
- Color:** Black White
- Trim Line:** PLS Semi-Solid Solid
- Plastic Type:** Polypropylene 1/8 3/16 1/4
 Co-Polymer 1/8 3/16 1/4



- Thermoplastic AFO - Articulated**
- Color:** Black White
- Hinge:** Tamarack Oklahoma Camber Axis
Tamarack Dorsi - Assist: Durometer - 75 85
- Plantar Stops:** 90° stop, plastic buttress
 Adjustable Stop
 Posterior Spring Assist
- Plastic Type:** Polypropylene 1/8 3/16 1/4
 Co-Polymer 1/8 3/16 1/4



- Arizona Optima Brace**
- Color:** Black
- Hinge:** Free Motion Restricted



- Supra Malleolar Orthosis**
- Color:** Black White



- Split Upright**
- Color:** Black
- Hinge:** Tamarack Oklahoma Camber Axis
Tamarack Dorsi - Assist: Durometer - 75 85





- AZ CROW Walker™**
- Color:** Black White

- Additions:** Carbon Ankle Inserts Full Toe Plate
 Foam lining: Plastazote 1/8 3/16 Foam lining: Aliplast 1/8 3/16

Measurements - please include for optimal fit:

Indicate Location for Ulcer Reliefs



Patient Information:

- Right Foot Left Foot Bilateral

Patient Name: _____
Height: _____ Weight: _____ Shoe Size: _____ Gender: M F
Dx: _____ D.O.B: _____

Shipping and Billing Information:

Bill to my account:
 Arizona SafeStep Langer Account # _____

Practitioner: _____
Email: _____
PO#: _____
Facility Name: _____
Phone: _____
Fax: _____
Ship to address: _____
Bill to address: _____

Shipping Options:

- Ground 3 Day Air 2 Day Air Overnight

Special Instructions: If you do not want the dorsi-plantar angle of the cast set to our recommendations, please choose:

- Leave cast exactly as is Correct Ankle Varus / Valgus
 Correct Forefoot to Neutral Other _____

Remarks: _____